




- ◆ 1/3" Color Sony Super HAD CCD
- ◆ 600TVL
- ◆ Built-in High Quality Board Lens
- ◆ Built-in 35 pieces $\Phi 5$ IR-LED
- ◆ Effective range up to 25M
- ◆ Min. Illumination 0Lux (IR LED ON)
- ◆ Enhanced Low-lux Performance
- ◆ IP66 Weatherproof

DIMENSIONS



SPECIFICATION

Model	5N1335-P3W
Image Device	1/3" Color Sony Super HAD CCD
Picture Elements	NTSC:976x494, PAL:976x582 (H*V)
Resolution	600TVL color mode, 650TVL B/W mode
Min. Illumination	0 Lux (IR on)
S/N Ratio	More than 52dB
Electronic Shutter	NTSC:1/60~1/100,000, PAL:1/50~1/100,000
Flickerless Mode	On/Off (NTSC:1/100, PAL:1/120)
Gamma	0.45
Lens Furnished	Board Lens 3.6mm / F2.0 (option: 6mm)
White Balance	Auto
Sync. System	Internal
Video Output	1 Vp-p / 75 Ohms
Infrared Luminary	35 pieces $\Phi 5$ IR-LED
Wavelength	850 nm
Illumination Distance	25 M
Power Supply	DC12V \pm 10%
Power Consumption	IR On: 400mA max., IR Off:100mA max.
Operating Temp.	0°C ~ 50°C
Storage Temp.	-30°C ~ 60°C
Accessory	Bracket